

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □

--	--	--	--	--	--	--	--

[illegible]

--	--	--	--	--	--	--	--

□ □ □ □ □ □ □ □ □ □ □ □ □ □

--	--	--	--	--	--	--	--	--

[illegible]

□ □

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ .

A horizontal row of 32 rectangular boxes representing a 32-bit register. The first 16 boxes from the left are outlined in blue, and the remaining 16 boxes are outlined in black.

[illegible][illegible][illegible][illegible]

[illegible]

--	--	--	--	--	--	--	--	--

[illegible][illegible]

--	--	--	--	--	--	--	--	--

[illegible]

Diagram illustrating a 2D array structure with 5 rows and 30 columns. The first row contains 6 blue cells (indices 10 to 15). The second row contains 10 blue cells (indices 10 to 19). The third row contains 10 blue cells (indices 10 to 19). The fourth row contains 5 blue cells (indices 10 to 14). The fifth row contains 10 blue cells (indices 10 to 19).

[illegible]

[illegible][illegible]

50th

[illegible][illegible]

The diagram consists of three horizontal rows of boxes. The top row contains 28 boxes in total; the 10th box through the 19th box are highlighted in blue, while the remaining boxes are white. The middle row contains 8 white boxes. The bottom row contains 18 white boxes.

